



TEXTURE PANELS

6 STEPS TO SUCCESSFUL INSTALLATION

VTEC



MAKING IT EASY TO INSTALL

Texture panels are ideal for just about any application where you need a great surface finish on the walls or ceiling, on almost any type of structure.

The modular panel system is designed to be as easy as possible to install, saving you all the hassles associated with heavy materials, difficult handling, messy processes, noisy mixing and lengthy installation.

Here is a basic outline for the successful installation of your texture panels.

6 STEPS TO SUCCESSFUL INSTALLATION

1. Measure, mark out and cut the panels as required.
2. Pre-drill and fix the panel to the wall in the mortar line between bricks.
3. Roughly apply jointing compound to cover joints and fixing positions.
4. Shape the jointing compound to suit as it begins to go firm.
5. Introduce the final texture to the jointing compound with a brush dipped in cleaner.
6. Leave for 24 hours, sparingly apply colour solutions, rag off and blend with the surrounding area.

WHAT ABOUT CORNERS?

Cut to form a mitre, match the pattern and fix panels back on either side of the corner, leaving approximately a 5mm gap. Apply jointing compound and shape to suit.

HOW DO I FINISH EXPOSED EDGES?

If the panel end is exposed, use a jointing compound to fill the panel edge and shape to create a brick end.

IS THERE ANY SUPPORT DURING INSTALLATION?

We provide all the support you could need for your on-site team, including panel layouts to optimise panel usage and maximise efficiency. Our FAQ section may have the answer to your more technical question. If you do run into any problems or need some advice, please get in touch and we will be happy to assist you on 03307 00 00 30.



T. 03307 00 00 30
E. info@vtecgroup.co.uk
W. vtecgroup.co.uk