



CONCRETE

TEXTURE WALL PANELS

VTEC

BRING URBAN SOPHISTICATION TO YOUR INTERIORS
WITH OUR CONCRETE WALL PANELS

3 CHARACTERFUL DESIGNS

MODULAR CONCRETE

3.28 m (w) x 1.30 m (t)

ROUGH CONCRETE HORIZONTAL

3.28 m (w) x 1.31 m (t)

ROUGH CONCRETE VERTICAL

1.31 m (w) x 3.28 m (t)

BOARDED CONCRETE

3.29 m (w) x 1.29 m (t)

BOARDED CONCRETE WHITE

3.29 m (w) x 1.29 m (t)

Please note that due to the natural elements and processes used in creating Texture Panels, colours and dimensions can vary between panels and batches, and images of the product are only indicative of the finished products. We reserve the right to alter specifications and details without notice.

CREATE THE MOOD

GREAT CREATIVE SCOPE AND VISUAL IMPACT

Enhanced atmosphere leads to increased footfall, longer dwell time and higher revenue.

Visual impact is essential when enhancing the atmosphere, so selecting the right wall finish can make the vital difference to achieving your Return on Investment, and that is where we help you.

All our **Concrete** panels recreate the superb characteristic textures and features of the original walls, and contain in excess of 50% natural pigments, oxides and minerals. With 3 designs and colour options in the range, it gives you great choice for creating outstanding ambiances.



CONSISTENT FINISH

BRAND CONSISTENCY ACROSS MULTIPLE LOCATIONS

Do you ever wish for a consistent finish across multiple locations to maintain a strong brand standard? We are very experienced at working on roll out programmes and deliver our panels all over the country, from Dover to Dublin and Truro to Thurso. By using our **Concrete** panels it ensures that every project is finished very quickly with the same great look and feel, giving continuity to your roll-out programme both in the UK and overseas.



ROBUST AND DURABLE

MINIMISE RE-DECORATION WORRIES

The last thing any client wants is to have the hassle and expense of replacements, repair and redecoration a few months after completing a project.

Our **Concrete** panels are highly durable and have been used since 2006 in busy areas with high footfall such as bars, cafés, stairways, airports and even nightclub toilets!

LIGHTWEIGHT

NO NEED FOR STRUCTURAL SUPPORT WORK

When you are tight for time and need to keep costs down, the last thing you need is to begin strengthening the structure to cope with a traditional wall. **Concrete Texture** panels weigh just approx. 7 kg per m², which means they are easily fixed to most substrates without needing to strengthen them - ideal when you are working on a project a couple of storeys up!



NO FORMWORK REQUIRED

AVOID CURING TIME

The ease and speed of installation can make a big difference to the success of a project.

Some projects have extensive areas to cover, including multiple storeys. Our **Concrete** panels are simply lifted into position and screwed back sparing the hassle of formwork and curing times.

Plus the large size of our **Concrete** panels (in excess of 4.2m²) means that you can cover large and sometimes awkward areas very quickly and easily with minimal joints, saving time and money.



ADAPTABLE PANELS

EASILY CUT TO SHAPE ON SITE

Do you want to create the great visual impact of bold shapes? Our **Concrete** panels are easily and quickly cut and adapted on site to suit all manner of designs.



QUICK TO INSTALL

LESS SITE DOWNTIME AND COST

The sooner the store is open, the less disruption and cost there is, and the quicker the venue begins to earn revenue. Our **Concrete** panels are the rapidly installed alternative to the real thing – perfect for projects with tight timescales as they reduce the install time drastically.

In many compressed projects the fit out is done overnight or at the weekend. **Concrete** panels enable you to transform interiors with amazing speed.



STANDARD AND FR GRADE

GREAT FOR USE IN SENSITIVE LOCATIONS

Some sensitive locations require Fire Retardant finishes. We can produce our **Concrete** panels in Fire Retardant Grade for these applications, which have been used in many high profile areas such as Victoria Station, Canary Wharf, Harrods, Selfridges, Imperial War Museum, Gatwick, Luton and Stansted Airports.





THRIVING COFFEE SHOP

Our **Rough Concrete** Panels are great in an environment with high footfall, enabling our clients to create an instant impact whilst minimising the need for maintenance.

The unique mixture of components means that our panels can be easily cut on site to fit the exact dimensions of the space or to accommodate the lighting, for example.

Ease of application and rapid installation helped to turn this coffee shop into a thriving business in no time.

HEALTH DELI

This High Street Client required an interior that would create a pleasing environment to enhance the customer experience.

This was achieved par excellence as we had received great feedback from visitors to the store, and the **Rough Concrete** panels were used very effectively with our London Brick White panels.

“ Working with the Panels was so simple and straightforward – a dream!
We’ve been open a week now – every day has surpassed our revenue expectations. I would recommend **Texture** panels without hesitation”.



PANEL INSTALLATION

Please refer to our installation guide for full details



1 Measure, mark out and trim panels as required to align features



2 Raise or lower panels to align features, pre-drill and screw in place, packing out to suit



3 Roughly apply jointing compound to cover joints and fixing positions



4 Shape the jointing compound to suit as it begins to go firm



5 Introduce final texture to jointing compound with brush dipped in cleaner



6 Leave for 24 hours, sparingly apply colour solutions, rag off and blend with surrounding area

EXAMPLE DETAILS



Corners - Raise /lower panels to align features. Mark position of corner, cut to form mitre. Fix panels leaving approx. 5mm gap, apply jointing compound and shape to suit



Finishing exposed edges - If panel end is exposed, use jointing compound to fill panel edge and shape as required

PRODUCT INFORMATION

Vtec's Concrete Panels contain in excess of 50% natural pigments, oxides and minerals. They are produced from original walls with exact natural textures and features in a lightweight but durable panel system.

GENERAL

- Applications** For internal use only in all types of environments – Ideal for Hospitality, Commercial, Retail and Leisure.
- Appearance** Originates from an original Concrete wall.
- Manufacture** Natural pigments and oxides form the outer surface of the reinforced polyester matrix.
- Substructure** Can be a framework of metal or timber, or to walls of masonry or timber board walls .
- Flexibility** Can be fastened to curved structures. Please consult our Technical Department for radii below 4 metres.
- Water resistance** Unaffected by moisture.
- Weathering** Natural particles allow weathering similar to the original material.
- Maintenance** Not needed apart from occasional dusting. Any dirt deposits can be wiped off.
- Installation** Easily through-fixed to substructure or walls.
- Joints and fixings** Disguised during installation with homogenous system.
- Cutting** Cut with diamond tipped abrasive wheel.

TECHNICAL DETAILS

- Nominal Sheet Size** 3.30m (w) x 1.28m (t);
1.28m (w) x 3.30m (t) for **Rough Concrete Vertical**
- Approximate Material Thickness** 5mm (not including undulation)
- Typical Maximum Relief (Undulation)** 15mm
- Approximate Weight** 7kg per m²

HAVE YOU SEEN OUR BRICK, STONE AND TIMBER PANELS FROM OUR TEXTURE RANGE?



VTEC

Need advice or inspiration for your space? Contact our expert team today

Call 03307 00 00 30
Email sales@vtecgroup.co.uk
Visit Vtecgroup.co.uk

VTEC GROUP LTD

London Showroom The Design Hub Clerkenwell
47 Gee Street, London, EC1V 3RS
Head Office and Manufacturing Vtec Group Ltd
Unit 3, Cooksland Ind. Estate, Bodmin, PL31 2QB